

Revision Date: 20/10/2022

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	mixture
Product name	Timbond C105 Adhesive Cleaner
Product code	AD12C105
Type of product	Organic solvents
Product group	Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Industrial/Professional use spec Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier	Adkwik Ltd Unit F Dales Manor Business Park Grove Road Sawston Cambridge CB22 3TJ T: +44 (0) 01223 412373 E: technical@adkwik.co.uk
-----------------	--

1.4. Emergency telephone number

Emergency telephone +44 (0) 01223 412373 (NOT 24HRS)
Working Hours: Weekdays: 8am- 4.30pm (GMT)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H226 Flammable liquids, Category 3

H319 Serious eye damage/eye irritation, Category 2

H336 Specific target organ toxicity — Single exposure, Category 3, Narcosis

H304 Aspiration hazard, Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation. May be fatal if swallowed and enters airways.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02



GHS07



GHS08

Signal word (CLP)

Danger

Contains

propan-2-ol; isopropyl alcohol; isopropanol, Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Hazard statements (CLP)

H226 Flammable liquid and vapour.
 H304 May be fatal if swallowed and enters airways.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements (CLP)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof electrical equipment.
 P261 Avoid breathing mist, spray, vapours.
 P264 Wash hands thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P310 IF SWALLOWED: Immediately call a doctor.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a doctor, a POISON CENTER if you feel unwell.
 P331 Do NOT induce vomiting.
 P337+P313 - If eye irritation persists: Get medical advice/attention.
 P370+P378 - In case of fire: Use carbon dioxide (CO₂), dry extinguishing powder, Water spray, alcohol resistant foam to extinguish.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.
 P501 Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Note
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	≥ 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319	

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 64742-48-9 EC-No.: 919-857-5 EC Index-No.: 649-327-00-6 REACH-no: 01-2119463258-33	15 – 35	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	CAS-No.: 64742-48-9 EC-No.: 919-857-5 EC Index-No.: 649-327-00-6 REACH-no: 01-2119463258-33	30 – 35	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	Call a physician immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	Gently wash with plenty of soap and water. Take off immediately all contaminated clothing. Rinse skin with water/shower. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	May cause drowsiness or dizziness.
Symptoms/effects after inhalation	May cause drowsiness or dizziness.
Symptoms/effects after skin contact	Repeated exposure may cause skin dryness or cracking. Contact during a long period may cause light irritation.
Symptoms/effects after eye contact	Causes serious eye irritation.
Symptoms/effects after ingestion	Risk of lung oedema. May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media Alcohol resistant foam. Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard Flammable liquid and vapour.

Explosion hazard May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

General measures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing vapours, spray, mist. Avoid contact with skin and eyes. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up Absorb spilled material with sand or earth. Do not absorb in sawdust, paper, cloth or other combustible absorbents. Notify authorities if product enters sewers or public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing vapours, spray, mist. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash Both hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	Ground/bond container and receiving equipment. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.
Storage conditions	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight.
Incompatible products	Strong acids. Strong bases.
Incompatible materials	oxidizing materials. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ethanol; ethyl alcohol (64-17-5)

United Kingdom - Occupational Exposure Limits

Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m ³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

United Kingdom - Occupational Exposure Limits

Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m ³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m ³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)**EU - Indicative Occupational Exposure Limit (IOEL)**

Local name	White spirit Type 3
IOEL TWA	116 mg/m ³
IOEL TWA [ppm]	20 ppm
IOEL STEL	290 mg/m ³
IOEL STEL [ppm]	50 ppm
Remark	Skin. (Year of adoption 2007)
Regulatory reference	SCOEL Recommendations

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls**8.2.1. Appropriate engineering controls**

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Gloves. Safety glasses. Protective clothing. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):

**8.2.2.1. Eye and face protection**

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Appearance	Mobile liquid
Colour	Colourless
Odour	characteristic
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	24 °C
Auto-ignition temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable, Flammable liquid and vapour.
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Density	0.782 g/cm ³
Solubility	No data available
Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, kinematic	~ 1.4 mm ² /s
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2. Other information

Other information No additional information available

SECTION 10: Stability and reactivity

- 10.1. Reactivity** Flammable liquid and vapour.
- 10.2. Chemical stability** Stable under normal conditions. Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
- 10.3. Possibility of hazardous reactions** No dangerous reactions known under normal conditions of use.
- 10.4. Conditions to avoid** Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Sparks.
- 10.5. Incompatible materials** Strong oxidizing agents. Acids. Strong acids. Strong bases.
- 10.6. Hazardous decomposition products** Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Not classified

Acute toxicity (dermal) Not classified

Acute toxicity (inhalation) Not classified

ethanol; ethyl alcohol (64-17-5)

LD50 oral rat 10470 mg/kg

LD50 dermal mouse 3450 mg/kg

LD50 dermal rat 15800 mg/kg

LC50 Inhalation - Rat 51 – 55 mg/l/4h

LC50 Inhalation - Rat (Vapours) 124.7 mg/l/4h

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LD50 oral rat 5045 mg/kg

LD50 dermal rabbit 12800 mg/kg

LC50, male, female, Inhalation, rat > 10000 ppm (6 Hours, (OECD 403 method))

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)

LD50 oral rat > 5000 mg/kg

LD50 dermal rabbit > 3000 mg/kg

Skin corrosion/irritation	Repeated or prolonged contact may cause skin irritation
Additional information	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Not classified
Additional information	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	May cause drowsiness or dizziness.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways.
Glue Remover (WP1400)	
Viscosity, kinematic	~ 1.4 mm ² /s
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

ethanol; ethyl alcohol (64-17-5)

LC50 - Fish [1]	13000 mg/l Oncorhynchus mykiss (Rainbow trout)
LC50 - Fish [2]	14200 mg/l Pimephales promelas (Fat-head Minnow)
EC50 - Crustacea [1]	12340 mg/l
EC50 72h - Algae [1]	275 mg/l Chlorella vulgaris
NOEC chronic crustacea	9.6 mg/l Daphnia magna
EC50, algae, Selenastrum capricornutum	> 100 mg/l (48 Hours)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LC50 - Fish [1]	9640 mg/l Fathead minnow (Pimephales promelas)
EC50 72h - Algae [1]	> 1000 mg/l (Desmodesmus subspicatus)
EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)
---	----------------------

12.2. Persistence and degradability**Glue Remover (WP1400)**

Persistence and degradability	Not established.
-------------------------------	------------------

ethanol; ethyl alcohol (64-17-5)

Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	37.74 % ThOD
Biodegradation	84 % 20 days

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

Glue Remover (WP1400)

Bioaccumulative potential Not established.

ethanol; ethyl alcohol (64-17-5)

**Partition coefficient
n-octanol/water (Log Pow)** -0.32

Bioaccumulative potential Low

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

**Partition coefficient
n-octanol/water (Log Pow)** 0.05

Bioaccumulative potential No bioaccumulation

12.4. Mobility in soil

ethanol; ethyl alcohol (64-17-5)

Surface tension 22.7 mN/m

Ecology - soil Very mobile. Soluble material/quickly disperses in water.

12.5. Results of PBT and vPvB assessment

Component

**ethanol; ethyl alcohol
(64-17-5)** This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

**propan-2-ol; isopropyl
alcohol; isopropanol
(67-63-0)** This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

**Hydrocarbons, C9-C11,
n-alkanes, isoalkanes,
cyclics, < 2% aromatics
(64742-48-9)** This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.






**Product/Packaging disposal
recommendations** Dispose in a safe manner in accordance with local/national regulations. Dispose of
contents/container to hazardous or special waste collection point, in accordance with local,
regional, national and/or international regulation.

Additional information Flammable vapours may accumulate in the container. Handle empty containers with care
because residual vapours are flammable.

Ecology - waste materials Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol)
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : propan-2-ol; isopropyl alcohol; isopropanol), 3, III, (D/E)
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	F1		
Special provisions (ADR)	274, 601		
Limited quantities (ADR)	5I		
Excepted quantities (ADR)	E1		
Packing instructions (ADR)	P001, IBC03, LP01, R001		
Mixed packing provisions (ADR)	MP19		
Portable tank and bulk container instructions (ADR)	T4		
Portable tank and bulk container special provisions (ADR)	TP1, TP29		
Tank code (ADR)	LGBF		
Vehicle for tank carriage	FL		
Transport category (ADR)	3		
Special provisions for carriage - Packages (ADR)	V12		
Special provisions for carriage - Operation (ADR)	S2		
Hazard identification number (Kemler No.)	30		
Orange plates	<table border="1"> <tr> <td style="background-color: orange; text-align: center;">30</td> </tr> <tr> <td style="background-color: orange; text-align: center;">1993</td> </tr> </table>	30	1993
30			
1993			
Tunnel restriction code (ADR)	D/E		
EAC code	3Y		

Transport by sea

Special provisions (IMDG)	223, 274, 955
Limited quantities (IMDG)	5 L
Excepted quantities (IMDG)	E1
Packing instructions (IMDG)	P001, LP01
IBC packing instructions (IMDG)	IBC03
Tank instructions (IMDG)	T4
Tank special provisions (IMDG)	TP1, TP29
EmS-No. (Fire)	F-E
EmS-No. (Spillage)	S-D
Stowage category (IMDG)	A

Air transport

PCA Excepted quantities (IATA)	E1
PCA Limited quantities (IATA)	Y344
PCA limited quantity max net quantity (IATA)	10L
PCA packing instructions (IATA)	355
PCA max net quantity (IATA)	60L
CAO packing instructions (IATA)	366
CAO max net quantity (IATA)	220L
Special provisions (IATA)	A3
ERG code (IATA)	3L

Inland waterway transport

Classification code (ADN)	F1
Special provisions (ADN)	274, 601
Limited quantities (ADN)	5L
Excepted quantities (ADN)	E1
Carriage permitted (ADN)	T
Equipment required (ADN)	PP, EX, A
Ventilation (ADN)	VE01
Number of blue cones/lights (ADN)	0

Rail transport

Classification code (RID)	F1
Special provisions (RID)	274, 601
Limited quantities (RID)	5L
Excepted quantities (RID)	E1
Packing instructions (RID)	P001, IBC03, LP01, R001
Mixed packing provisions (RID)	MP19
Portable tank and bulk container instructions (RID)	T4
Portable tank and bulk container special provisions (RID)	TP1, TP29
Tank codes for RID tanks (RID)	LGBF
Transport category (RID)	3
Special provisions for carriage – Packages (RID)	W12
Colis express (express parcels) (RID)	CE4
Hazard identification number (RID)	30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information
Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOEC	No-Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
Issued by	Compliance
Revision date	20/10/2022

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.